


degussa.

Röhm Plexiglas

PLEXIStyle



The "Cool" Sheet

PLEXIGLAS HEATSTOP®: for Pleasant Temperatures

A glorious, sunny summer day. The drinks stay cool, the ice cubes don't melt. The cream cakes keep their shape. The guests feel at ease. No wasp to inflict its painful sting. The baby sleeps. No drafts, no risk of getting sunburnt. A successful birthday party despite temperatures in the 80s. Thanks to my conservatory.



Over 80 Degrees in the Shade.

You can hear the neighbors' ventilator buzzing in their conservatory. But in yours, all is peaceful. It's cool all the same, because the specially coated PLEXIGLAS HEATSTOP® multi-skin sheets from Röhm reflect the sun's rays and keep out the heat. Under a roof made of PLEXIGLAS HEATSTOP®, the heat buildup can be 60% lower than under clear-transparent double glazing. You feel just great.

Light for That Feel-Good Feeling.


PLEXIGLAS HEATSTOP® diffuses the light in an optimal manner. The room beneath the sheets is uniformly bright. The regular distribution of light also extends to the neighboring rooms and ensures that they too are pleasantly lit.

Outside: Sub-Zero Temperatures.

In winter, the "cool" sheet keeps you comfortably warm. That is its special gift. With its U-value of 1.6 W/m², it meets the stringent requirements of the German statutory order on heat insulation. That gives you exactly what you want from a conservatory: an outdoor feeling even in the cold season.

PLEXIGLAS HEATSTOP® quadruple-skin sheets: ideal for conservatory and patio roofing.

For conservatories and patio roofs



PLEXIStyle

Weather Resistance Guaranteed.

It makes no difference to this sheet what the weather's like outside, come snow, rain or shine. We give you a 10-year guarantee on weather resistance and heat insulation.

PLEXIGLAS® is subject to permanent quality control, and the brand name is stamped on every single sheet to give you maximum security.

Easy to Handle.

PLEXIGLAS HEATSTOP® is available in the standard width of 1230 millimeters and can be installed in lengths up to 7 meters without crosswise supports. Although the PLEXIGLAS HEATSTOP® quadruple-skin sheet is 32 mm thick, it weighs less than 7 kilograms. That saves effort during installation and lets you choose supporting structures that are light and airy, but stable all the same.

PLEXIStyle – clearly the best.



The "Cool" Sheet: PLEXIGLAS HEATSTOP®
It Can Stand the Heat

PLEXIGLAS HEATSTOP®

PLEXIGLAS HEATSTOP®

quadruple-skin sheets are available in

- 32 mm thickness
- 1230 mm width
- lengths up to 7000 mm

The sheets have a perfectly smooth surface and are white-translucent.

The Heatstop coating gives them a highly attractive, reddish-purple surface sheen. Viewed from below, the sheets appear pleasantly cool, as befits their function.

Further elements of the PLEXIStyle range are:

PLEXIGLAS RESIST® multi-skin sheets
PLEXIGLAS ALLTOP® multi-skin sheets
PLEXIGLAS RESIST® corrugated sheets
PLEXIGLAS HEATSTOP® corrugated sheets
PLEXIGLAS® textured sheets
PROStyle assembly systems for multi-skin, corrugated and textured sheets

PLEXIStyle is the intelligent solution for many applications: conservatories, patios, domestic greenhouses, carports, wind-screens and balcony parapets.



Certified to DIN EN ISO 9001

® = registered trademark

PLEXIGLAS and all brand names mentioned in this leaflet are registered trademarks of Röhm GmbH & Co. KG.

Fire rating: PLEXIGLAS® multi-skin sheets are classed B2 to DIN 4102. Our technical advice on the applications of our products is given without obligation. The buyer is responsible for their use and processing, and is also liable for observing any third-party rights. Technical data concerning our products are typical values. Subject to alteration.

Please ask for our guarantee leaflet for further details on the guarantee statements made in the above text.

100/701/01017 (e)

If you would like further information on our sales range and on installation, your local authorized distributor of PLEXIGLAS® will be pleased to advise you:

